

# 2026-2027 CATALOG



Value Through Flexible Solutions

# INDEX

|                            |           |
|----------------------------|-----------|
| The ESA Difference         | 2         |
| <b>FEATURED PRODUCTS</b>   | <b>3</b>  |
| Speed Station™             | 4         |
| Branch Wire Cart           | 5         |
| ESA Reel Jack™             | 6         |
| ESA Reel Wheels™           | 7         |
| <b>MATERIAL CARTS</b>      | <b>8</b>  |
| Shark Cart™                | 9         |
| Adjustable Shark Cart™     | 10        |
| Side by Side Cart          | 11        |
| Clamshell Cart             | 12        |
| E-Cart                     | 13        |
| Home Run Cart              | 14        |
| MC Wire Cart               | 15        |
| Bundle Cart                | 16        |
| Conduit Tree               | 17        |
| Elevator Cart              | 18        |
| Fixture Cart               | 19        |
| Linear Fixture Cart        | 20        |
| <b>SPOOL BOSS</b>          | <b>21</b> |
| Spool Boss™ Narrow         | 22        |
| Spool Boss™ Reels + Cradle | 23        |
| Spool Boss™ Wide           | 24        |
| <b>WIRE HANDLING</b>       | <b>25</b> |
| ESA Compartment Reels      | 26        |
| Narrow A-Frame Cart        | 30        |
| 5k A-Frames                | 31        |
| 9k A-Frame                 | 32        |
| 12k A-Frame                | 33        |
| A-Frame Pulling Trailer    | 34        |
| <b>OTHER SOLUTIONS</b>     | <b>35</b> |
| Will Call Lockers          | 36        |
| Temporary Power Carts      | 37        |
| Duct Bank Spacers          | 38        |

# THE ESA DIFFERENCE

Our experienced and innovative team of industry professionals develops solutions that meet the unique challenges of our customers. Our flexible approach consists of customization to product design, color, and branding. Construction material handling products require more than a “one size fits all” approach, but we challenge the status quo and build the products our customers require.

## ESA “NO BULL” WARRANTY

At ESA Fabrication, we stand firmly behind the quality and reliability of our material handling equipment. Our "NO BULL" Warranty is a testament to our commitment to your satisfaction and peace of mind. Here's what you need to know:

### DURATION

Our warranty covers your material handling equipment for a period of 1 year from the date of purchase.

### COVERAGE

We guarantee that our equipment will be free from defects in materials and workmanship under normal use and service. This includes components such as motors, controls, frames, and structural integrity.

### EXCLUSIONS

Our warranty does not cover damages resulting from misuse, abuse, accidents, unauthorized modifications, or improper maintenance. It also does not cover normal wear and tear.

### REPAIR or REPLACEMENT

In the unlikely event that your equipment experiences a covered defect during the warranty period, we will repair or replace the defective part or equipment at no additional cost to you.

### FAST and HASSLE- FREE SERVICE

We understand that downtime can be costly for your business. That's why we are committed to providing prompt and efficient service to get your equipment back up and running as quickly as possible.

### NATIONWIDE SUPPORT

With an extensive network of service technicians across the country, you can rely on us to provide support wherever you are located.

### CUSTOMER SATISFACTION

Your satisfaction is our top priority. If for any reason you are not completely satisfied with your equipment or our service, please don't hesitate to contact us. We will do everything in our power to make it right.

*Our "NO BULL" Warranty is a straightforward assurance that when you choose ESA Fabrication for your material handling needs, you're getting top-quality equipment backed by reliable service and support.*

# FEATURED PRODUCTS

Experience safer and more efficient contractor products.



# SPEED STATION™



Uniquely designed mobile workstation that opens 90 degrees and features a foldaway print table, two workbench tops, onboard vise, and material storage. The Speed Station keeps you mobile with the materials and tools you need as your project progresses.

| UPC          | Model #      | Description                                                                                 |
|--------------|--------------|---------------------------------------------------------------------------------------------|
| 850051778003 | SPSC-1001    | Speed Station, Mobile Workstation with Vise, 36.5"H x 46"L x 29"W (Closed), Red PC          |
|              | SPSC-1001-XX | Speed Station, Mobile Workstation with Vise, 36.5"H x 46"L x 29"W (Closed), PC Color Choice |
| 850051778058 | SPSA-1910    | Chain Vise Attachment                                                                       |

## FEATURES:

- Workbench height clamshell design with foldaway plan table
- Purpose-built shelving designed to hold tools and materials in a lockable cabinet
- Charging shelf with pass-through power outlet, ready for battery tool chargers
- Integrated vise for safe and easy cutting of conduit/strut or holds boxes for making knockouts
- Optional chain vise for IMC/GRC cutting or threading
- Retractable hooks for ladder or conduit storage
- Replaceable vinyl whiteboard surface
- 6" heavy-duty locking casters
- Optional attachment for GB B1000 Portable Cyclone Bender
- Patent pending

## SEE SPEED STATION IN ACTION:



# BRANCH WIRE CART



The absolute BEST way to handle circuit wire on a project. Securely store, move and pull from the Branch Wire Cart. Stop pulling wire the old way, step up to the secure, efficient way to pull home runs or branch circuits.

| UPC          | Model #      | Description                                                                                          |
|--------------|--------------|------------------------------------------------------------------------------------------------------|
| 850051778010 | BRWC-2111    | Branch Wire Cart, (4) Doors, 55"H x 32"W x 50"L, 6" Casters, Fork Tubes, Red                         |
|              | BRWC-2111-XX | Branch Wire Cart, (4) Doors, 55"H x 32"W x 50"L, 6" Casters, Fork Tubes, PC Color Choice             |
|              | BRWC-2205    | Branch Wire Cart, Solid Sheet (4) Doors, 55"H x 32"W x 50"L, 6" Casters, Fork Tubes, Red             |
|              | BRWC-2205-XX | Branch Wire Cart, Solid Sheet (4) Doors, 55"H x 32"W x 50"L, 6" Casters, Fork Tubes, PC Color Choice |

## FEATURES:

- Holds 16 2,500 ft. spools of cable (doors on both sides)
- Easily load wire spools onto the fixed axles
- Plastic grommets prevent wire damage
- Lockable to keep wire secure while on the job
- Expanded or solid door options
- Fork tubes for safe lifting
- 6" heavy duty casters for easy rolling and long life

## LEARN MORE ABOUT BRANCH WIRE CART:



# ESA REEL JACK™



ESA Reel Jack makes quick work of setting up cable reels for a pull. Our drill-drive design allows for one person to effortlessly lift reels into position. These foldable, easy-to-handle Reel Jacks are safer and more efficient than other reel stands on the market. Setup a reel in under a minute.

| Model #   | Description                                                                                                    |
|-----------|----------------------------------------------------------------------------------------------------------------|
| RLJK-1102 | ESA Reel Jack – Drill or Handle Operated, 6,500 lbs. Capacity, Lifts Up to 68" Reel, Socket + Adapter Included |


## FEATURES:

- Heavy duty steel construction and powder coated for durability on every job
- Drill or handle operated (drill not included)
- Lift a reel in under a minute with a battery drill or impact
- Comes with 1" socket + 3/8" socket adapter
- Lifts up to a 68" diameter reel per pair
- 6,500 lbs. capacity per pair
- Foldable design for easy handling & storage
- Jaw extension to hold axle securely
- Sold as a single jack

## LEARN MORE ABOUT ESA REEL JACK:



# ESA REEL WHEELS™



ESA Reel Wheels make quick work of moving cable reels on a job site. Combined with our Reel Jack, this unique reel mover allows for one person to effortlessly lift and move reels into position. Reel Wheels helps your team work safer and more efficient. Lift a reel in under a minute and move it where you need it.

| Model #     | Description                                                                                       |
|-------------|---------------------------------------------------------------------------------------------------|
| RLWK01-1003 | ESA Reel Wheels - 4,500 lbs. Capacity, Moves Up to 68" Diameter x 40" Wide Reel, 2 Axles Included |

## FEATURES:

- Heavy duty steel construction and powder coated for durability on every job
- Lift a reel in under a minute with a battery drill or impact
- Moves reels up to 68" diameter and 4,500 lbs.
- Expandable width up to 40"
- Comes with 2 axles with storage locations on the unit
- Foldable design for ease of storage
- Patent pending

## LEARN MORE ABOUT ESA REEL WHEELS:




# MATERIAL CARTS

Customizable material handling solutions  
that meet your needs.



# SHARK CART™




The Original Shark Cart is perfectly sized to allow easy storage of packaged materials and roll to anywhere on a job site.

| UPC          | Model #      | Description                                                              |
|--------------|--------------|--------------------------------------------------------------------------|
| 850051778102 | SHKC-3001    | Shark Cart, (3) Shelves, 60"H x 30"W x 60"L, 6" Casters, Red PC          |
|              | SHKC-3001-XX | Shark Cart, (3) Shelves, 60"H x 30"W x 60"L, 6" Casters, PC Color Choice |

## FEATURES:

- Large material storage capacity
- 2,000 lbs. cart capacity
- 3 heavy-duty fixed shelves
- Expanded doors and back for easy visibility of material
- 6" heavy duty locking casters for easy rolling and long life
- Full sheet metal sides for logos or co-branding
- Optional full sheet metal doors and back

# ADJUSTABLE SHARK CART™



The Adjustable Shark Cart is perfectly sized to allow easy storage and transport of packaged materials with adjustable shelving to meet your needs.

| Model #      | Description                                                                                            |
|--------------|--------------------------------------------------------------------------------------------------------|
| SHKC-3101    | Shark Cart, (2) Adjustable Shelves, 60"H x 30"W x 60"L, 6" Casters, Red PC                             |
| SHKC-3101-XX | Shark Cart, (2) Adjustable Shelves, 60"H x 30"W x 60"L, 6" Casters, PC Color Choice                    |
| SHKA-9820    | Shark Cart, Adjustable Shelf for SHKC-3101, Black PC                                                   |
| SHKA-9834    | Shark Cart, Adjustable 3-Axle Wire Bracket for SHKC-3101, Holds 500-ft. and 2,500-ft. Spools, Black PC |

## FEATURES:

- Large material and wire storage capacity
- 2,000 lb. cart capacity
- 2 adjustable shelves included
- Expanded doors and back for easy visibility of material
- 6" heavy duty locking casters for easy rolling and long life
- Full sheet metal sides for logos or co-branding
- Optional full sheet metal doors and back

# SIDE BY SIDE CART




Purposefully designed XL cart to hold all types of electrical material. The Side by Side Cart includes brackets on top of the cart allowing for 10' material or for additional storage of boxed material.

| UPC          | Model #      | Description                                                                     |
|--------------|--------------|---------------------------------------------------------------------------------|
| 850051778119 | SBSC-2001    | Side by Side Cart, (3) Shelves, 62"H x 30"W x 72"L, 6" Casters, Red PC          |
|              | SBSC-2001-XX | Side by Side Cart, (3) Shelves, 62"H x 30"W x 72"L, 6" Casters, PC Color Choice |

## FEATURES:

- Extra large material storage capacity
- 3 shelves
- Expanded doors and back for easy visibility of material
- Large storage shelves
- 6" heavy duty casters for easy rolling and long life
- Full sheet metal sides for logos or co-branding



# CLAMSHELL CART




**CLSC-1202**

This cart holds a ton of material! Large cart with center hinge to allow easy access to all stored material. This cart is great for use inside of a Conex Container since there are no doors to open and close. Can be easily rolled through a job site.

| UPC          | Model #      | Description                                                                                                    |
|--------------|--------------|----------------------------------------------------------------------------------------------------------------|
| 850051778126 | CLSC-1002    | Clamshell Cart, (4) Shelves, 60"H x 48"W x 48"L, 6" Casters, Red PC, Expanded Metal Sides                      |
|              | CLSC-1002-XX | Clamshell Cart, (4) Shelves, 60"H x 48"W x 48"L, 6" Casters, PC Color Choice                                   |
| 850051778157 | CLSC-1202    | Clamshell Security Cart (Full Sheet Metal Sides), (4) Shelves, 60"H x 48"W x 48"L, 6" Casters, Red PC          |
|              | CLSC-1202-XX | Clamshell Security Cart (Full Sheet Metal Sides), (4) Shelves, 60"H x 48"W x 48"L, 6" Casters, PC Color Choice |

## FEATURES:

- Extra large material storage capacity
- Opens 180 degrees
- Designed so that it will not fit through a doorway when the cart is locked
- Fits through standard door fully opened
- Four 24" stationary shelves in each side
- Eight 6" heavy duty casters
- Full sheet metal or expanded metal sides
- Can be locked with a padlock



# E-CART




This smaller cart is perfect for storing material in congested work areas. The E-Cart has all the features of the Original Shark Cart™ with a little bit smaller footprint. Easy to move throughout a building.

| UPC          | Model #      | Description                                                         |
|--------------|--------------|---------------------------------------------------------------------|
| 850051778133 | ECOC-1001    | E-Cart (3) Shelves, 60"H x 24"W x 48"L, 6" Casters, Red PC          |
|              | ECOC-1001-XX | E-Cart (3) Shelves, 60"H x 24"W x 48"L, 6" Casters, PC Color Choice |

## FEATURES:

- Great for any commercial project
- Medium material storage capacity
- 3 stationary shelves
- Expanded doors and back for easy visibility of material
- 6" heavy duty casters for easy rolling and long life
- Full sheet metal sides for branding or co-branding
- Optional full sheet metal doors and back



# HOME RUN CART




Need a wire cart that does it all? The Home Run Cart handles up to 24 spools of either circuit wire or data cable. This versatile cart allows you to have all the wire you need where you need it for pulling home runs, data runs, and branch circuits.

| Model #      | Description                                                                   |
|--------------|-------------------------------------------------------------------------------|
| WDOC-1002    | Open Wire Cart – 24 Spools, 74.5"H x 80"W x 30"L, 6" Casters, Red PC          |
| WDOC-1002-XX | Open Wire Cart – 24 Spools, 74.5"H x 80"W x 30"L, 6" Casters, PC Color Choice |

## FEATURES:

- Holds 24 spools up to 18" diameter
- Easily load wire spools onto the adjustable axles
- Adjustable and removable axles to accommodate larger spools
- Retainers to keep spools on the axles
- Pulling eyes to keep wire organized
- Reduces set up and pull time when compared to traditional carts
- Fork tubes for safer handling
- 6" heavy duty casters for easy rolling and long life



# MC WIRE CART



The MC Wire Cart is the best way to manage and pull MC Cable on your next project.

| Model #      | Description                                                                                                                   |
|--------------|-------------------------------------------------------------------------------------------------------------------------------|
| WRDC-3001-XX | MC Cart (3) Std Rails, Hold (4) 24 in. Spools, (4) Shafts, Wire Guides on Top and Sides, 6 in. Casters (2R+2SB), Fork Pockets |

## FEATURES:

- Holds (4) 24" diameter 1,000' spools of 10/2 MC
- Easily load wire spools onto the fixed axles
- Plastic grommets prevent wire damage
- Lockable to keep wire secure while on the job
- Expanded or solid door options
- Fork tubes for safe lifting
- 6" heavy duty casters for easy rolling and long life

# BUNDLE CART




The Bundle Cart exceeds where others fall short. This unique design makes loading easy and safe while handling heavy loads up to 4,000 lbs.

| UPC          | Model #      | Description                                                                         |
|--------------|--------------|-------------------------------------------------------------------------------------|
| 850051778027 | BDLC-1002    | Bundle Conduit Cart, Fork Pockets, 6" Casters, 4,000 lbs. Capacity, Red PC          |
|              | BDLC-1002-XX | Bundle Conduit Cart, Fork Pockets, 6" Casters, 4,000 lbs. Capacity, PC Color Choice |

## FEATURES:

- Allows you to move bundles of 10 ft. materials
- Heavy duty 4,000 lbs. capacity
- 6" heavy duty casters for easy rolling and long life
- Fork pockets for safer loading on/off truck



# CONDUIT TREE




Best built Conduit Tree with capacity up to 4,000 lbs. Removable tree stands to take up less space when stored. Don't settle for cheap alternatives. Often imitated, but never duplicated.


| UPC          | Model #      | Description                                                                       |
|--------------|--------------|-----------------------------------------------------------------------------------|
| 850051778034 | COTC-1001    | Tree Conduit Cart, Fork Pockets, 6" Casters, 4,000 lbs. Capacity, Red PC          |
|              | COTC-1001-XX | Tree Conduit Cart, Fork Pockets, 6" Casters, 4,000 lbs. Capacity, PC Color Choice |

## FEATURES:

- Heavy duty 4,000 lbs. capacity
- Tree stands remove to stack flat when not in use
- Fits 10 ft. materials
- Fork pockets for safer loading on/off truck
- 6" heavy duty casters for easy rolling and long life, 2 fixed and 2 non-fixed



# ELEVATOR CART



Going up? Smart design allows you to move 10 ft. sticks of conduit or strut easily in/out of an elevator.

| UPC          | Model #      | Description                                                   |
|--------------|--------------|---------------------------------------------------------------|
| 850051778041 | COEC-1101    | Elevator Conduit Cart, Tilt Tray, 6" Casters, Red PC          |
|              | COEC-1101-XX | Elevator Conduit Cart, Tilt Tray, 6" Casters, PC Color Choice |

## FEATURES:

- Heavy duty 2,500 lbs. capacity
- Fits 10 ft. materials
- Tilts materials to fit into a service elevator
- 6" heavy duty casters for easy rolling and long life
- Great for highrise work

# FIXTURE CART



**FIXC-1001**

**FIXC-9801**

Got fixtures? Tired of damaged or scuffed fixtures showing up to the job? This cart is the solution. Easily allows you to move fixtures onto a job with ease and without damage.




**FIXC-1003**


| UPC          | Model #      | Description                                                                                     |
|--------------|--------------|-------------------------------------------------------------------------------------------------|
| 850051778089 | FIXC-1001    | Fixture Cart, 12 Slots, 4' Edge Support, 4" Casters, Red PC                                     |
|              | FIXC-1001-XX | Fixture Cart, 12 Slots, 4' Edge Support, 4" Casters, PC Color Choice                            |
| 850051778140 | FIXC-1003    | Fixture Cart, 12 Slots, 4' Edge Support, 4" Casters, Hinged Lock with Backstop, Red PC          |
|              | FIXC-1003-XX | Fixture Cart, 12 Slots, 4' Edge Support, 4" Casters, Hinged Lock with Backstop, PC Color Choice |
| 850051778164 | FIXC-9801    | Fixture Cart Tray, Galvanized                                                                   |

## FEATURES:

- Holds 12-2'x4' or 24-2'x2' fixtures
- High grade felt on each runner to protect fixtures from getting scratched
- 4" heavy duty casters for easy rolling and long life
- Remove the cardboard and ship fixtures ready to install
- Option with hinged lock and backstop for ease of securing fixtures



# LINEAR FIXTURE CART




Linear Fixture Cart is a very versatile material handling cart. This cart expands and contracts to fit a multitude of different lengths, sizes, and shapes.

Can be used to move busduct, pipe, strut, and other long materials.

| UPC          | Model #      | Description                                                                                                              |
|--------------|--------------|--------------------------------------------------------------------------------------------------------------------------|
| 850051778171 | LFXC-1001    | Linear Fixture Cart, (8) Upright Adj. Arms, (20) 3/8" Cross Bars, 60"x 32" Base, 6" Casters, Fork Tubes, Red PC          |
|              | LFXC-1001-XX | Linear Fixture Cart, (8) Upright Adj. Arms, (20) 3/8" Cross Bars, 60"x 32" Base, 6" Casters, Fork Tubes, PC Color Choice |

## FEATURES:

- Heavy duty base frame for projects beyond just fixtures
- Arms slide out horizontally to accommodate longer fixtures
- Arms extend vertically for multiple layers of fixtures or material
- 20 cross rods allow for multiple layers to prevent damage during transport or on the job site
- Fork tubes for safe lifting
- Multipurpose cart can be used for busduct and pipe
- 60" x 32" base with adjustable upright arms
- 8 upright adj. arms (30" sleeve extends to 60")
- 6" heavy duty casters



**LEARN MORE  
ABOUT LINEAR  
FIXTURE CART:**





# SPOOL BOSS™

REEL EASY. REEL SIMPLE. REEL SAFE.™



# SPOOL BOSS™ NARROW

## Reel Easy, Reel Simple, Reel Safe™

Spool Boss Narrow is a wire reel payoff system designed to handle heavy cable reels on job sites. The Spool Boss is easily maneuvered through standard doorways or through narrow hallways with its zero turn radius mobility. It allows one individual to safely load/unload and move reels with built-in hydraulics and an integrated braking system. Spool Boss can move reels into position over concrete with ease, making it the safest and most versatile wire handling system on the market.

| Model #   | Description                                                            |
|-----------|------------------------------------------------------------------------|
| SBU10-010 | Spool Boss - Narrow Reel Mover, 32" Outside Width, 6,500 lbs. Capacity |

## FEATURES:

- Handle up to 6,500 lbs. heavy wire payloads with no worries
- Save your time with an integrated charging feature
- Self-brakes itself as soon as you let go of the handle
- Lifts the wire reels with incorporated hydraulics
- Fork tubes designed to improve stability & safety while lifting
- Zero turn radius
- Fits through a 3' door
- Patented

**SEE SPOOL BOSS  
ON THE JOB:**



# NARROW REELS + CRADLE

## FOR SPOOL BOSS™ NARROW



The Spool Boss™ Reels and Reel Cradle are designed to work with the Spool Boss Narrow Reel Mover. These rugged reels are built to handle the toughest job site environments providing years of service. The Reel Cradle is specifically designed to make transporting the narrow reels safely and securely to/from the job site.

| Model #        | Description                                                                    |
|----------------|--------------------------------------------------------------------------------|
| R60K-1C2034-XX | Reel with 60" Diameter, 1 Compartment, 20-3/4" Outside Width, Solid Disk Style |
| R66K-1C2034-XX | Reel with 66" Diameter, 1 Compartment, 20-3/4" Outside Width, Solid Disk Style |
| SBC10-015-XX   | Reel Cradle for 60" and 66" Diameter Narrow Spool Boss Reels                   |

## FEATURES:

- Solid disc flange reels handle up to 6,500 lbs. wire payloads
- Superior hub design for increased durability
- Large holes for easy tie down points
- Reel Cradle makes transporting safe and easy



# SPOOL BOSS™ WIDE

## Reel Easy, Reel Simple, Reel Safe.

Spool Boss Wide is a wire reel payoff system that can handle heavy cable reels on job sites or in the distributor wire room. It allows one individual to safely load/unload and move reels with built-in hydraulics and an integrated braking system. Spool Boss can move reels into position over concrete with ease, making it the safest and most versatile wire handling system on the market.

| Model #   | Description                                                         |
|-----------|---------------------------------------------------------------------|
| SBU20-010 | Spool Boss - Wide Reel Mover, 50" Inside Width, 6,500 lbs. Capacity |

## FEATURES:

- 6,500 lbs. capacity
- Handles up to 60" reel
- Save your time with an integrated charging feature
- Self-brakes itself as soon as you let go of the handle
- Lifts the wire reels with incorporated hydraulics
- 50" throat makes it easy to lift reels off pallets
- Fork tubes designed to improve stability & safety while lifting
- Zero turn radius
- Patented



**SEE OUR WIRE ROOM  
TIME STUDY:**




# WIRE HANDLING

Purpose-built designs to securely protect and safely mobilize wire where you need it with ease.



# ESA COMPARTMENT REELS

ESA Compartment Reels are built to last with our unique barrel and hub design and 1" outer tubing for superior durability from job-to-job. All compartments have predrilled holes to accommodate a wide variety of wire sizes. Standard sizes are available in multiple configurations with one to four compartments or customize to meet your needs. Select from a number of color options to meet your needs.



# ESA COMPARTMENT REELS

ALL INCLUDE CHOICE OF COLOR

| Model #        |  | Description                                                                         |
|----------------|--|-------------------------------------------------------------------------------------|
| R32A-1C10-XX   |  | Reel 32" Diameter 1-Compartment 10" Wide, Fits Narrow A-Frame Cart ARSU-1501-XX     |
| R32A-4C40-XX   |  | Reel 32" Diameter 4-Compartment 40" Wide, Fits Narrow A-Frame Cart ARSU-1501-XX     |
| R40A-1C06-XX   |  | Reel 40" Diameter 1-Compartment 6" Wide                                             |
| R40A-4C26-XX   |  | Reel 40" Diameter 4-Compartment 26" Wide                                            |
| R48A-1C06-XX   |  | Reel 48" Diameter 1-Compartment 6" Wide, Fits Narrow A-Frame Stand ARSU-3701-XX     |
| R48A-1C22-XX   |  | Reel 48" Diameter 1-Compartment 22" Wide, Fits Narrow A-Frame Stand ARSU-3701-XX    |
| R48A-4C22-XX   |  | Reel 48" Diameter 4-Compartment 22" Wide, Fits Narrow A-Frame Stand ARSU-3701-XX    |
| R48A-4C26-XX   |  | Reel 48" Diameter 4-Compartment 26" Wide                                            |
| R48A-1C08-XX   |  | Reel 48" Diameter 1-Compartment 8" Wide                                             |
| R48A-4C32-XX   |  | Reel 48" Diameter 4-Compartment 32" Wide                                            |
| R48A-1C10-XX   |  | Reel 48" Diameter 1-Compartment 10" Wide                                            |
| R48A-3C30-XX   |  | Reel 48" Diameter 3-Compartment 30" Wide                                            |
| R48A-4C40-XX   |  | Reel 48" Diameter 4-Compartment 40" Wide                                            |
| R48K-1C40-XX   |  | Reel 48" Diameter 1-Compartment 40" Wide, Solid Disc Flange                         |
| R60K-1C2034-XX |  | Reel 60" Diameter 1-Compartment 20" Wide, Solid Disc Flange, Fits Spool Boss Narrow |
| R66K-1C2034-XX |  | Reel 66" Diameter 1-Compartment 20" Wide, Solid Disc Flange, Fits Spool Boss Narrow |
| R72K-1C40-XX   |  | Reel 72" Diameter 1-Compartment 40" Wide, Solid Disc Flange                         |
| R72K-3C40-XX   |  | Reel 72" Diameter 3-Compartment 40" Wide, Solid Disc Flange                         |

# COMPARTMENT CAPACITY

## REEL COMPARTMENT CAPACITY (BASED ON 75% OF A PERFECT WIND)

| Wire Size | Linear Feet Per Compartment |           |           |           |           |           |           |           |          |
|-----------|-----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|
|           | R40A-1C06                   | R40A-4C26 | R48A-1C06 | R48A-1C10 | R48A-3C30 | R48A-4C40 | R32A-1C10 | R32A-4C40 | R48-1C08 |
| 750 MCM   | 173                         | 252       | 271       | 543       | 619       | 632       | 175       | 207       | 407      |
| 600 MCM   | 222                         | 323       | 348       | 695       | 793       | 809       | 224       | 265       | 521      |
| 500 MCM   | 269                         | 390       | 421       | 841       | 960       | 979       | 271       | 321       | 631      |
| 400 MCM   | 350                         | 508       | 548       | 1096      | 1250      | 1275      | 354       | 418       | 822      |
| 350 MCM   | 363                         | 527       | 568       | 1137      | 1297      | 1324      | 367       | 434       | 853      |
| 300 MCM   | 443                         | 644       | 694       | 1388      | 1583      | 1616      | 448       | 530       | 1041     |
| 250 MCM   | 514                         | 748       | 806       | 1611      | 1838      | 1876      | 520       | 615       | 1209     |
| 4/O       | 604                         | 878       | 946       | 1893      | 2159      | 2204      | 611       | 722       | 1420     |
| 3/O       | 730                         | 1061      | 1144      | 2288      | 2609      | 2663      | 738       | 873       | 1716     |
| 2/O       | 879                         | 1278      | 1377      | 2754      | 3142      | 3206      | 889       | 1051      | 2066     |
| 1/O       | 1052                        | 1528      | 1647      | 3294      | 3757      | 3835      | 1063      | 1257      | 2471     |
| 1 GA      | 1211                        | 1760      | 1896      | 3793      | 4326      | 4415      | 1224      | 1447      | 2845     |
| 2 GA      | 1452                        | 2110      | 2274      | 4548      | 5187      | 5294      | 1468      | 1735      | 3411     |
| 3 GA      | 1896                        | 2756      | 2970      | 5940      | 6775      | 6915      | 1917      | 2267      | 4455     |
| 4 GA      | 2241                        | 3256      | 3509      | 7018      | 8005      | 8170      | 2265      | 2678      | 5264     |
| 6 GA      | 3094                        | 4497      | 4846      | 9692      | 11055     | 11283     | 3128      | 3699      | 7269     |
| 8 GA      | 4171                        | 6061      | 6532      | 13065     | 14902     | 15208     | 4216      | 4986      | 9799     |
| 10 GA     | 7762                        | 11279     | 12157     | 24313     | 27732     | 28302     | 7846      | 9278      | 18235    |
| 12 GA     | 10464                       | 15206     | 16388     | 32776     | 37385     | 38154     | 10577     | 12508     | 24582    |
| 14 GA     | 13537                       | 19672     | 21201     | 42402     | 48365     | 49359     | 13683     | 16181     | 31802    |

# COMPARTMENT CAPACITY

## REEL COMPARTMENT CAPACITY (BASED ON 75% OF A PERFECT WIND)

| Wire Size | Linear Feet Per Compartment |          |          |           |          |          |          |             |             |
|-----------|-----------------------------|----------|----------|-----------|----------|----------|----------|-------------|-------------|
|           | R48-1C32                    | R48-1C26 | R48-1C10 | R48K-1C40 | R48-4C22 | R48-1C06 | R48-1C22 | R60K-1C2034 | R66K-1C2034 |
| 750 MCM   | 2001                        | 1628     | 543      | 2510      | 249      | 258      | 1352     | 2098        | 2740        |
| 600 MCM   | 2564                        | 2086     | 695      | 3216      | 319      | 331      | 1733     | 2688        | 3511        |
| 500 MCM   | 3102                        | 2524     | 841      | 3891      | 386      | 400      | 2097     | 3253        | 4249        |
| 400 MCM   | 4040                        | 3287     | 1096     | 5067      | 503      | 521      | 2730     | 4235        | 5532        |
| 350 MCM   | 4193                        | 3411     | 1137     | 5259      | 522      | 541      | 2834     | 4396        | 5742        |
| 300 MCM   | 5119                        | 4165     | 1388     | 6420      | 637      | 660      | 3460     | 5367        | 7010        |
| 250 MCM   | 5942                        | 4834     | 1611     | 7453      | 740      | 766      | 4016     | 6230        | 8137        |
| 4/0       | 6980                        | 5679     | 1893     | 8755      | 869      | 900      | 4718     | 7318        | 9559        |
| 3/0       | 8435                        | 6863     | 2288     | 10580     | 1050     | 1088     | 5701     | 8844        | 11552       |
| 2/0       | 10156                       | 8263     | 2754     | 12738     | 1265     | 1310     | 6865     | 10648       | 13909       |
| 1/0       | 12147                       | 9882     | 3294     | 15235     | 1512     | 1566     | 8210     | 12735       | 16635       |
| 1 GA      | 13987                       | 11379    | 3793     | 17543     | 1741     | 1804     | 9454     | 14664       | 19154       |
| 2 GA      | 16770                       | 13644    | 4548     | 21034     | 2088     | 2163     | 11335    | 17582       | 22967       |
| 3 GA      | 21904                       | 17820    | 5940     | 27473     | 2727     | 2825     | 14805    | 22965       | 29997       |
| 4 GA      | 25879                       | 21054    | 7018     | 32459     | 3222     | 3337     | 17492    | 27132       | 35441       |
| 6 GA      | 35741                       | 29077    | 9692     | 44827     | 4450     | 4609     | 24157    | 37471       | 48946       |
| 8 GA      | 48177                       | 39195    | 13065    | 60425     | 5998     | 6213     | 32563    | 50510       | 65977       |
| 10 GA     | 89654                       | 72939    | 24313    | 112448    | 11163    | 11561    | 60597    | 93996       | 122779      |
| 12 GA     | 120862                      | 98329    | 32776    | 151590    | 15048    | 15586    | 81690    | 126715      | 165517      |
| 14 GA     | 156358                      | 127207   | 42402    | 196110    | 19468    | 20163    | 105682   | 163929      | 214128      |

# NARROW A-FRAME CART




The Narrow A-Frame Cart excels in navigating narrow spaces within commercial job sites effortlessly. Its compact structure allows it to pass through standard doorways and access small electrical rooms while accommodating a significant amount of cable. Ideal for handling up to three 1,000-foot spools of MC cable, it is a versatile tool for efficient cable handling.

| Model #      | Description                                                                                                                |
|--------------|----------------------------------------------------------------------------------------------------------------------------|
| ARCU-1501-XX | Narrow A-Frame Cart, 6" Total-Lock Casters, 5,000 lbs. Payload, Supports 32" Max Diameter Reel x 50" Wide, PC Color Choice |
| R32A-1C10-XX | Reel 32"D 1-Comp 10" Outside Width, (CW=9-1/8) 8-Spoke, PC Color Choice                                                    |
| R32A-4C40-XX | Reel 32"D 4-Comp 40" Outside Width, (CW=9-1/8) 8-Spoke, PC Color Choice                                                    |

## FEATURES:

- Optional compartment reels hold feeder cable up 500MCM
- Holds up to (3) 1000' spools of MC cable
- Narrow design fits through standard doorways
- Fork tubes for safe lifting
- Comes with 2" solid steel axle
- Heavy duty 6" total-lock casters



# 5K A-FRAMES



Our Two Way and Four Way A-Frames are constructed from heavy-duty steel with a powder coat finish for added durability from job to job. Our high-density, low-friction polymer axle saddles provide longer service life at maximum loads while reducing friction on the axle. These units accommodate 48" reels with a capacity of up to 5,000 lbs.

Our innovative Four Way A-Frames feature a flip-down caster design, meaning the casters are always attached. The Four Way A-Frames can be lifted from any direction with a pallet jack or forklift. This added mobility gives crews more flexibility when loading, unloading, and repositioning the a-frame as jobsite needs change.

## ALL INCLUDE CHOICE OF COLOR

| Model #      | Description                                                                                                    |
|--------------|----------------------------------------------------------------------------------------------------------------|
| ARSU-3701-XX | Narrow A-Frame Reel Stand, 4-Way, 5,000 lbs. Payload, 33" Wide, Supports 48" Max Diameter Reel x 28" Wide      |
| ARSU-1101-XX | A-Frame Reel Stand, 2-Way, 5,000 lbs. Payload, Supports 48" Max Diameter Reel x 32" Wide                       |
| ARSU-1301-XX | A-Frame Reel Stand, 2-Way 5,000 lbs. Payload, Supports 48" Max Diameter Reel x 40" Wide                        |
| ARSU-2101-XX | A-Frame Reel Stand, 2-Way 5,000 lbs. Payload, Supports 48" Max Diameter Reel x 50" Wide                        |
| ARSU-3602-XX | A-Frame Reel Stand 4-Way, Drop-Down 6" Casters, 5,000 lbs. Payload, Supports 48" Max Diameter Reel x 40" Wide  |
| ARSU-3310-XX | A-Frame Reel Stand, 4-Way, Drop-Down 6" Casters, 5,000 lbs. Payload, Supports 48" Max Diameter Reel x 50" Wide |

# 9K A-FRAME




Heavy duty, dynamic load rated, 4-way, 9,000 lbs. capacity a-frame that is built to handle large, medium-voltage reels with diameters up to 84" x 50" wide.

Constructed from heavy-duty steel with a powder coat finish to give it added durability from job to job. Our high-density low-friction polymer axle saddles last longer at a maximum load while reducing friction on the axle.

| Model #      | Description                                                                                               |
|--------------|-----------------------------------------------------------------------------------------------------------|
| ARSU-4201-XX | A-Frame Reel Stand, 4-Way, 9,000 lbs. Payload, Supports 84" Max Diameter Reel x 50" Wide, PC Color Choice |

## FEATURES:

- Handles up to 84" diameter x 50" wide reel
- 9,000 lbs. capacity
- Dynamic load rated
- Easy load/unload
- Easy payoff of wire with minimum overspin
- Fully welded construction and powder coated for maximum durability
- 4-way forklift tubes
- Comes with 3" steel axle
- Optional logo plate



# 12K A-FRAME




Heavy duty, dynamic load rated, 2-way 12,000 lbs. capacity a-frame built to handle large, medium-voltage reels up to 108" diameter x 85" wide. Constructed from heavy-duty steel with a powder coat finish to give it added durability from job to job. Our high-density low-friction polymer axle saddles last longer at a maximum load while reducing friction on the axle.

| Model #      | Description                                                                                          |
|--------------|------------------------------------------------------------------------------------------------------|
| ARSU-5002-XX | A-Frame Reel Stand, 12,000 lbs. Payload, Supports 108" Max Diameter Reel x 84" Wide, PC Color Choice |

## FEATURES:

- Handles up to 108" diameter x 85" wide reel
- 12,000 lbs. capacity
- Dynamic load rated
- Easy load/unload
- Easy payoff of wire with minimum overspin
- Fully welded construction and powder coated for maximum durability
- 2-way forklift pockets
- Comes with 3" steel axle
- Optional logo plate



# A-FRAME PULLING TRAILER



## FULLY CUSTOM WIRE TRAILERS

A-frame pulling trailers available from 10,000 to 60,000 lbs. capacity. Take the wire where you need it and pull from the trailer. Innovative modular turntable design locks into position at the angle you need. Built for years of use on the toughest job environments.

### FEATURES:


- Take the wire where you need it and payoff from the trailer
- Innovative modular turntable design locks into position at the angle you need
- Durable and reliable
- Quick load/unload of a-frames
- Custom wire trailers available up to 60,000 lbs. capacity

# OTHER SOLUTIONS

Fully customizable products to meet your needs.



# WILL CALL LOCKERS



- Heavy duty lockers, built extremely tough & weather-resistant to handle the roughest conditions
- Designed for large package capacity with maximum security for outdoor after hours will call
- Base for securing to anchor bolts
- Sloped top to shed rain or snow
- Industrial powder coat with multiple color choices
- Horizontal lockers accommodate 10' conduit or strut in either lower locker
- Mechanical programmable or wireless programmable lock system options

## DIMENSIONS

### Lower Conduit Lockers

Interior Dimension: 25" x 123" x 7.5"

Door Opening: 19.875" x 6.5"

### Big Locker Box

Interior Dimension: 64" x 22.25" x 21"

Door Opening: 58.875" x 18.25"

### Small Locker Box

Interior Dimension: 32" x 22.25" x 21"

Door Opening: 27.125" x 18.25"

## OUTSIDE HORIZONTAL WILL CALL LOCKER

| Model #       | Description                                                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------------------------------|
| OHSL-2310-XX  | Outside Horizontal Will-Call Locker, (3) Front Bins, (2) Side Accessible Conduit Bins, Choice of Lock Systems, PC Color Choice |
| OHSL-LK23-001 | Wireless Programmable From an App                                                                                              |
| OHSL-LK22-001 | Mechanical Programmable Combo Lock System, 5 Locks                                                                             |

# TEMPORARY POWER CARTS



ESA is your temporary power solutions provider. We engineer and build custom temporary power stations to meet your jobsite needs. Purchase the cart or the entire setup.

## FEATURES:

- Multiple cart types to choose from or customize your own
- Type 1 or Type 3R power setups available
- Fully customized to meet job site needs from single panel to power stations with complete panels & transformer
- Steel structures with industrial powder coat finish with multiple color choices
- Steel identification plates available with either water jet or vinyl logos
- Forklift friendly bases and caster options
- Contact your local representative for more details and options

# DUCT BANK SPACERS

## BUILT FOR EFFICIENCY. BACKED BY ESA.

ESA's duct bank and bore spacer cards are manufactured from durable reprocessed HDPE (High Density Polyethylene), meaning they are eco-friendly, can withstand the elements, and are built to meet project specifications. These spacers help simplify installation in the field by reducing time and labor, keeping projects on schedule and minimizing costs.

At ESA Fabrication, we're committed to providing solutions that make projects safer, more efficient, and more cost-effective. With decades of experience and a customer-first approach, our team is here to help.

## INSTALLATION BENEFITS

- **COST SAVINGS:** Reduce concrete usage, lower maintenance expenses, prevent downtime, and extend cable lifespan.
- **ENHANCED SAFETY:** Minimize trench hazards and support compliance with regulatory standards and best practices.

## QUOTE REQUIREMENTS

- **Material thickness** (generally .375" or .500")
- **Desired hole orientation**
- **Conduit or hole diameter**
- **Distance between conduits** (center to center spacing)
- **Additional features** (flow holes, rebar holes, ground wire holes)
- **Quantity needed** (spacers placed at approximately every 5 feet)





MADE IN THE USA

(602) 550-7173 | [sales@esafab.com](mailto:sales@esafab.com) | [esafab.com](http://esafab.com)



## CHECK OUT OUR PRODUCTS IN ACTION

Explore product walkthroughs on our YouTube channel by scanning the QR code to the left or by visiting [qrco.de/ESA-YouTube](https://qrco.de/ESA-YouTube).